



Engineering Summer Workshop 2019

Topic: Make an On Screen Piano to Play Your Favorite Music

28 June 2019 (Friday), Rm 4210

Dr. Desmond Tsoi

Department of Computer Science & Engineering
The Hong Kong University of Science and Technology
Hong Kong SAR, China




Instructor

Dr. Desmond Yau-chat TSOI (Simply call me "Desmond" ;))



- Personal website:
<http://www.cse.ust.hk/~desmond>
- E-mail: desmond@cse.ust.hk
- Office: Rm 3553 (Lift 27-28)



Student Helpers

- CHAN, Pak Ching
- CHENG, Man Hin
- CHUNG, Yuen Ting
- SUEN, Heung Ping
- XIA, Zihan
- YIP, Chun On
- ZHANG, Daofu
- ZHANG, Ziyang




Software

- In this workshop, you are going to use **Greenfoot** to construct an on-screen piano
 - ▶ Greenfoot is an interactive **Java** development environment for development of two-dimensional graphical applications, e.g., simulations and interactive games
 - ▶ Link to official site:
<https://www.greenfoot.org/>



Website for the Workshop

<http://www.cse.ust.hk/~desmond/piano-workshop>



Details:

- Date: 28 June, 2018 (Friday)
- Time: 2:30 - 5:30pm
- Venue: Rm 4210 (CS Lab 4)
- Description:

In this workshop we use Greenfoot platform to animate a piano. First, the participants use the Greenfoot to construct a piano key in simple Java template. Then all white keys and black keys are in place. The keyboards are used to link with the keys to make sound note. Combining all sound note the participants can play their own music.

Contact Me

Dr. Desmond TSOI
Lecturer, Department of Computer Science and Engineering, School of Engineering, HKUST

Office: Rm 3553

Email: desmond@ust.hk



...letters for a note; an array for keys
... keys and black keys



Things to Do

1. Visit the **Workshop Website**
2. Download the **Skeleton Code** (middle icon)
3. Start **Greenfoot** (Please follow the verbal instructions)
4. Load up the code page:

<http://www.cse.ust.hk/~desmond/piano-workshop/code/>

Note

Please keep your browser open as you need to refer to the code from time to time




Goal: Make an On-Screen Piano to Play Music

The screenshot displays the Greenfoot IDE window titled "Greenfoot: Spiano-AutoKeys". The main workspace shows a piano keyboard with 12 keys. Below the keyboard, the text "Click 'Run', then use your keyboard to play" is visible. At the bottom of the workspace, there are three buttons: "Act", "Run", and "Reset", along with a "Speed:" slider.

On the right side, the class hierarchy is shown:

- World classes
 - World
 - Piano (inherits from World)
- Actor classes
 - Actor
 - Key (inherits from Actor)

How? Two Files: Piano.java and Key.java



A piano has a collection of keys (white and black keys)


Five Parts




- I. Making a white key
- II. Making two white keys
- III. Making all white keys (12 in total)
- IV. Making all black keys (8 in total)
- V. Making a music player

Part I

Making a White Key



What is given?



What is given?

- Piano Class (Right-click Piano icon and select “Open editor”)

```
// (World, Actor, GreenfootImage, and Greenfoot)
```

```
import greenfoot.*;
```

```
public class Piano extends World {
```

```
    /*
```

```
     * Create the piano.
```


```
    */
```

```
    public Piano() {
```

```
        super(800, 340, 1)
```

```
    }
```

```
}
```



What is given?

- Key Class (Right-click Key icon and select "Open editor")

```
// (World, Actor, GreenfootImage, and Greenfoot)
import greenfoot.*;
```


```
public class Key extends Actor {
    /*
     * Create a new key.
     */
    public Key() {
    }

    /*
     * Do the action for this key.
     */
    public void act() {
    }
}
```




Run it

- Press "Run"
- Right-click the "Key" icon and select "new Key()"



- Place the key on the piano



Problem


No response when we press keys! :(

Image to Show the Key Down


- Update the `act()` method of `Key` class with the following

```
// This method is called whenever  
// the "Act" or "Run" button gets  
// pressed in the environment
```

```
public void act() {  
    // Check if key "g" is pressed  
    if(Greenfoot.isKeyDown("g")) {  
        // change to gray image  
        setImage("white-key-down.png");  
    }  
    else {  
        // change to original image, i.e. white  
        setImage("white-key.png");  
    }  
}
```



Oops...



Problem

Key always Down for First Press! :(
(Some versions of Greenfoot may not have this problem)

Change Once Only: boolean isDown

- Update the `act()` method of `Key` class again with the following

```
public void act() {  
    // if( not is Down and "g" is down )  
    if( !isDown && Greenfoot.isKeyDown ("g") ) {  
        setImage ("white-key-down.png");  
        isDown = true;  
    }  
  
    // if( isDown and "g" is not down )  
    if( isDown && !Greenfoot.isKeyDown ("g") ) {  
        setImage ("white-key.png");  
        isDown = false;  
    }  
}
```



Run it again and press "g". It should work! :)

Problem

No sound! :(

Produce the Sound

- The sounds folder has a collection of sound files, each of which contains the sounds for a single piano key



Play the Note

- Add `play()` method to the `Key` class as follows

```
// (World, Actor, GreenfootImage, and Greenfoot)
import greenfoot.*;

public class Key extends Actor {
    // ...

    /*
     * Play the note of this key.
     */
    // Add the following code to the "Key" class
    public void play() {
        Greenfoot.playSound ("3a.wav");
    }
}
```



Play the Note if "g" is down


- Put `play()`; after the line `setImage("white-key-down.png");`

```
public void act() {
    // if( not is Down and "g" is down )
    if( !isDown && Greenfoot.isKeyDown ("g") ) {
        setImage ("white-key-down.png");

        // -----
        // Add play() here
        // -----
        play();

        isDown = true;
    }


    // if( isDown and "g" is not down )
    if( isDown && !Greenfoot.isKeyDown ("g") ) {
        setImage ("white-key.png");
        isDown = false;
    }
}
```



Run it again and press "g". It works! Perfect! :)

Add More Keys

- Now, add two keys and see what happen




Problem

All keys react the same way > . <

Part II

Making Two White Keys



Make the Code of Key Class More Generic

- Add two more variables and update Key(...) method

```
public class Key extends Actor {
    private boolean isDown;
    // Add two more variables
    private String key;
    private String sound;


    // Update the Key() method
    public Key(String keyName,
               String soundFile) {
        key = keyName;
        sound = soundFile;
    }

    public void act() {
        if(!isDown && Greenfoot.isKeyDown(key)) {
            setImage ("white-key-down.png");
            play();
            isDown = true;
        }
        if(isDown && !Greenfoot.isKeyDown(key)) {
            setImage ("white-key.png");
            isDown = false;
        }
    }

    public void play() {
        Greenfoot.playSound(sound);
    }
}
```



Try: Add First Key

- Right-click “Key” and select “new Key”
 - ▶ Enter “g” and “3a.wav”
3a.wav is “Do” sound



Try: Add Second Key

- Right-click “Key” and select “new Key”
 - ▶ Enter “h” and “3b.wav”
3b.wav is “Rei” sound



Run it again. Press "g" and "h".

Add a Key at Specified Position When the Program is Run


- Use `addObject` method provided by Greenfoot
- The following statement `add` a Key at (300, 180) and link it with key "g" and sound file "3a.wav"

```
addObject(new Key("g", "3a.wav", 300, 180))
```

- Update `Piano()` of `Piano` class with the following

```
public class Piano extends World {  
    public Piano() {  
        super(800, 340, 1);  
        // Add the following line  
        addObject( new Key("g", "3a.wav"), 300, 180 );  
    }  
}
```

Run It and See What Happen




Problem

Not in a nice position

Need Some Arithmetic!


**The Key is 63 x 280
Therefore the Center of the Key
Would be $31\frac{1}{2} \times 140$**



- Update `Piano()` of `Piano` class again

```
public class Piano extends World {  
    public Piano() {  
        super(800, 340, 1);  
        // Add the following line  
        addObject( new Key("g", "3a.wav"), 32, 140 );  
    }  
}
```

- Run it and see




Add Another Key

- Update `Piano()` of `Piano` class again


```
public class Piano extends World {  
    public Piano() {  
        super(800, 340, 1);  
        addObject( new Key("g", "3a.wav"), 32, 140 ); // First Key  
        addObject( new Key("h", "3b.wav"), 32+63, 140 ); // Second Key  
        // Shifted 63 units  
    }  
}
```

- Run it and see



Part III

Making All White Keys



Add All 12 White Keys


- Update `Piano()` of `Piano` class as follows

```
public class Piano extends World {  
    public Piano() {  
        super(800, 340, 1);  
        for(int i=0; i<12; i++) // Repeat 12 times  
            addObject( new Key("g", "3a.wav"), 32, 140);  
    }  
}
```



designed by  freepik.com

Run It and See



Problem

Oops... all overlapped

Add All 12 White Keys


- Update `Piano()` of `Piano` class

```
public class Piano extends World {  
    public Piano() {  
        super(800, 340, 1);  
        for(int i=0; i<12; i++)  
            addObject( new Key("g", "3a.wav"), 32 + i*63, 140);  
    }  
}
```



designed by  freepik.com

Run It and See



Problem


Hmm... better, but not perfect!

Add All 12 White Keys

- Update `Piano()` of `Piano` class

```
public class Piano extends World {
    public Piano() {
        super(800, 340, 1);
        // Width of piano: 800
        // Width of 12 keys: 12 * 63 = 756
        // Empty space = 800 - 756 = 44
        // Half the space on each side = 44 / 2 = 22
        for(int i=0; i<12; i++)
            addObject( new Key("g", "3a.wav"),
                       22 + 32 + i*63, 140 );
    }
}
```

Run It and See



Problem

Perfect! But ... all keys binded with "g" and with the same sound file

Make Each Key Different

String []
whiteKeys



String []

0	1	2	3	4	5	6	7	8	9	10	11
"a"	"s"	"d"	"f"	"g"	"h"	"j"	"k"	"l"	","	"'"	"\\"

```
String[] whiteKeys = { "a","s","d","f","g","h","j","k","l", ";","'", "\\\" };
```

```
// whiteKeys[3] contains the string "f"
```

```
// whiteKeys[6] contains the string "j"
```

```
// How about whiteKeys[10]?
```

How about Notes?

- We can do something similar


```
String[] whiteKeys={"a","s","d","f","g","h","j","k","l", ";", "'", "\\"};
```

```
String[] whiteNotes={"3c","3d","3e","3f","3g","3a","3b","4c","4d","4e","4f","4g"};
```

- Update Piano class as follows:

```
public class Piano extends World {  
  
    private String[] whiteKeys  
        = { "a", "s", "d", "f", "g", "h", "j", "k", "l", ";", "'", "\\"};  
  
    private String[] whiteNotes  
        = { "3c", "3d", "3e", "3f", "3g", "3a", "3b", "4c", "4d", "4e", "4f", "4g"};  
  
    public Piano() {  
        super(800, 340, 1);  
        for(int i=0; i<12; i++)  
            addObject( new Key(whiteKeys[i], whiteNotes[i] + ".wav"),  
                       22 + 32 + i*63, 140);  
    }  
}
```


Run It and See



Your First Workable Piano. Play!! :D

Part IV

Making All Black Keys

Greenfoot: 4piano-WhiteBlackKeys

Scenario Edit Controls Help

World classes

- World
- Piano

Actor classes

- Actor
- Key

Act Pause Reset

Speed: [Slider]

Can Include Black Keys - Different Key Images


- First, add two variables and update `Key(...)` and `act()` method as follows:

```
public class Key extends Actor {
    private boolean isDown = false;
    private String key;
    private String sound;

    // Add two more variables below
    private String upImage;
    private String downImage;

    public Key(String keyName, String soundFile, String img1, String img2) {
        key = keyName;
        sound = soundFile;
        upImage = img1;
        downImage = img2;
        setImage(upImage);
    }

    public void act() {
        if(!isDown && Greenfoot.isKeyDown(key)) {
            setImage(downImage); // Change this
            play();
            isDown = true;
        }
        if(isDown && !Greenfoot.isKeyDown(key)) {
            setImage(upImage); // Change this
            isDown = false;
        }
    }
}
```



- Next, update **Piano class** as follows:

```
public class Piano extends World {
    private String[] whiteKeys
    = { "a", "s", "d", "f", "g", "h", "j", "k", "l", ";", "'", "\\" };
    private String[] whiteNotes
    = { "3c", "3d", "3e", "3f", "3g", "3a", "3b", "4c", "4d", "4e", "4f", "4g" };
    private String[] blackKeys
    = { "w", "e", "", "t", "y", "u", "", "o", "p", "", "]" };
    private String[] blackNotes
    = { "3c#", "3d#", "", "3f#", "3g#", "3a#", "", "4c#", "4d#", "", "4f#" };
    public Piano() {
        super(800, 340, 1);
        for(int i=0; i<12; i++) {
            Key key = new Key(whiteKeys[i], whiteNotes[i]+".wav",
                "white-key.png", "white-key-down.png");
            addObject(key, 22 + 32 + i*63, 140);
        }
        for(int i=0; i<12-1; i++) { // Add another loop to create black keys
            if(!blackKeys[i].equals("")) { // If black key name is not empty
                Key key = new Key(blackKeys[i], blackNotes[i]+".wav",
                    "black-key.png", "black-key-down.png");
                addObject(key, 22 + (63/2) + 32 + i*63, 86);
            } // Shifted by half-width of white key
        }
    }
}
```


Run It and See

The screenshot displays the Greenfoot IDE interface for a project titled "Greenfoot: 4piano-WhiteBlackKeys". The main workspace shows a digital piano keyboard with 12 keys. The interface includes a menu bar with "Scenario", "Edit", "Controls", and "Help". On the right side, there is a "Share..." button and two class hierarchy panels. The "World classes" panel shows a "World" class with a "Piano" class as a child. The "Actor classes" panel shows an "Actor" class with a "key" class as a child. At the bottom of the workspace, there are control buttons for "Act", "Pause", and "Reset", along with a "Speed:" slider.

Success! Play! :D

Part V

Making a Music Player



Add Methods to Control Key Up and Down

- Add `whiteKeyDownUp` and `blackKeyDownUp` methods to `Key` class

```
public class Key extends Actor {
    // ...
    public void whiteKeyDownUp() {
        setImage("white-key-down.png");
        Greenfoot.playSound(sound);
        Greenfoot.delay(15);
        setImage("white-key.png");
    }

    public void blackKeyDownUp() {
        setImage ("black-key-down.png");
        Greenfoot.playSound(sound);
        Greenfoot.delay(15);
        setImage ("black-key.png");
    }
}
```



Update Piano Class

```
public class Piano extends World {
    private String[] whiteKeys
    = { "a", "s", "d", "f", "g", "h", "j", "k", "l", ";", "'", "\\" };
    private String[] whiteNotes
    = { "3c", "3d", "3e", "3f", "3g", "3a", "3b", "4c", "4d", "4e", "4f", "4g" };
    private Key[] pianoWhiteKey = new Key[12];
    private String[] blackKeys
    = { "w", "e", "", "t", "y", "u", "", "o", "p", "", "]" };
    private String[] blackNotes
    = { "3c#", "3d#", "", "3f#", "3g#", "3a#", "", "4c#", "4d#", "", "4f#" };
    private Key[] pianoBlackKey = new Key[11];
    public Piano() {
        super(800, 340, 1);
        for(int i=0; i<12; i++) {
            pianoWhiteKey[i] = new Key(whiteKeys[i], whiteNotes[i]+".wav",
                "white-key.png", "white-key-down.png");
            addObject(pianoWhiteKey[i], 22 + 32 + i*63, 140);
        }
        for(int i=0; i<12-1; i++) { // Add another loop to create black keys
            if(!blackKeys[i].equals("")) { // If black key name is not empty
                pianoBlackKey[i] = new Key(blackKeys[i], blackNotes[i]+".wav",
                    "black-key.png", "black-key-down.png");
                addObject(pianoBlackKey[i], 22 + (63/2) + 32 + i*63, 86);
            } // Shifted by half-width of white key
        }
    }
}
```


Add pressKey and playSong Method to Piano Class

- Add `pressKey()` and `playSong()` method to Piano class as follows:

```
public class Piano extends World {
    // ...
    private void pressKey(int i) {
        if (i >= 0 && i < 90){
            if (i <= 20)
                pianoWhiteKey[i].whiteKeyDownUp(); // i <= 20 are for white keys
            if (i >= 50 && i != 52 && i != 56 && i != 59)
                pianoBlackKey[i-50].blackKeyDownUp(); // i >= 50: some are for black keys
        }
    }

    public void playSong() {
        // Sound of Music
        int[] notes =
            {1,1,2,3,99,1,3,1,3,99,2,3,4,4,3,2,4,99,3,4,5,99,3,
             5,3,5,99,4,5,6,6,5,4,6,99,5,99,1,2,3,4,5,6,99,6,
             99,2,3,54,5,6,7,99,7,99,3,54,55,6,7,8,99,8,7,56,6,
             4,7,5,8,5,3,2,0};

        int i = 0;
        while(notes[i] != 0) {
            if((notes[i] >= 1 && notes[i] <= 12) || (notes[i] >= 51 && notes[i] <= 61))
                pressKey(notes[i]-1);
            else
                Greenfoot.delay(15);
            i++;
        }
    }
}
```

Other Songs

```
int[] wedding =
    {99,6,99,6,7,7,8,8,7,7,6,6,3,3,1,1,5,5,4,4,3,4,5,4,99,99,99,99,4,4,5,5,6,6,
      7,7,5,5,2,2,4,4,3,3,2,3,4,3,99,99,99,99,10,99,6,8,10,9,10,99,6,8,10,9,10,
      99,6,8,11,10,11,99,6,8,11,10,11,99,4,3,4,5,5,99,5,6,5,6,3,99,99,99,99,10,
      99,6,8,10,9,10,99,6,8,10,9,10,99,6,8,11,10,11,99,6,8,11,10,11,99,4,3,4,54,
      5,99,5,6,5,6,3,99,99,99,99,0};

int[] jasmin =
    {3,99,3,5,6,8,8,6,5,99,5,6,5,99,99,99,99,99,3,99,3,5,6,8,8,6,5,99,5,6,5,99,99,
      99,99,5,99,5,99,5,99,3,5,6,99,6,99,5,99,99,99,99,3,99,2,3,5,99,3,2,1,99,1,
      2,1,99,99,99,99,3,2,1,3,2,99,99,99,99,3,5,6,8,5,99,99,99,99,9,99,10,9,99,8,
      99,5,99,99,99,99,6,99,6,8,9,99,99,99,99,8,9,8,6,5,99,99,0};

int[] happyBirthday =
    {99,5,5,6,5,8,7,99,5,5,6,5,9,8,99,5,5,12,10,8,7,6,13,99,11,11,10,8,9,8,99,0};

int[] ohSusanna =
    {99,1,2,3,5,5,99,6,5,3,1,99,2,3,3,2,1,2,99,1,2,3,5,5,99,6,5,3,1,99,2,3,3,2,2,
      1,99,99,4,99,4,99,5,6,6,99,5,5,3,2,1,2,99,1,2,3,5,5,6,5,3,1,99,2,3,3,2,2,1,
      99,0};

int[] ShanghaiBeach =
    {3,5,6,99,3,5,2,99,3,5,6,8,6,5,1,3,2,99,2,3,5,99,2,3,6,6,1,2,3,2,7,6,5,1,99,
      8,8,6,8,99,6,8,6,5,5,3,6,5,1,2,1,3,99,3,3,2,3,99,8,8,7,6,99,3,3,2,3,8,7,6,3,
      5,99,3,5,6,99,3,5,2,99,3,5,6,8,6,5,1,3,2,99,2,3,5,2,3,6,99,6,1,2,3,2,7,6,5,
      1,0};
```

That's all!
Any questions?



thank
you!